

contact@karmicaglobal.com https://www.karmicaglobal.com PO BOX 112030, DUBAI, UNITED ARAB EMIRATES +971-524819495

**Product Name:**Bottle Shrink Tunnel Machine

Product Code: KGLOB10251010



## **Description:**

**Bottle Shrink Tunnel Machine** 

## **Technical Specification:**

Capacity Veriable

Automation Grade Semi-Automatic

Voltage 220

Material LD Plastic

Power 220

Chamber Size 60" x 18" x 18"

Conveyor Loading 35 kg

Chamber Size (millimetre) 1250 X 500 X500 MM

Condition New

Conveyor Loading (Kilogram) 35 TO 40 KG.

Cooling Time (Minutes) 10 M

Dimension (millimetre) 1500 X 500 X 500

Heater (Kilowatt) 13 TO 14 K W

Phase Three Phase

Tunnel Size (millimetre) 1250 X 500 X 500

Our technologically advanced carton packaging machines are specifically designed for packaging of cartons. The thin walled or water proofing covering provided on the cartons acts as an additional reinforcement. It

increases the strength of the cartons and enables them to sustain rough handling. Channel sets, filter assembly, fabricated body and rollers are some of the parts of the carton packaging machine. The adhesive tapes and films used for the sealing purpose are easily adjustable and impart secure sealing from both top and bottom of the carton. Depending on the size of the carton to be sealed its height can be adjusted for efficient performance. Carton sealing machine is used to seal cartons in industries such as home appliance, textile, food, general merchandise and many more

- Speed up to 6 8 bags per min.
- Manual feeding of bag/carton on the feeder conveyor
- Power 15 18 Kw, 3 phase. (Connected).
- Running 8 10 Kw.
- PLC controlled system
- · Geared motor driven pre-pulling system for both packing rolls
- Heavy duty structure
- Shrink Tunnel Window Size (18" x 18") With Roller Conveyor.
- · Sensor Based Technology for sealing purpose.
- Special pneumatically driven side sealing system, two sealers to provide both side sealing to make it all around seal
- Digital Temperature Controller PID type
- Belt Conveyor for Product Moving.
- Automatically Transfer of beg/carton after sealing into the tunnel
- Special double insulated chamber to reduce power losses.

Pneumatic Technology to be us