

contact@karmicaglobal.com https://www.karmicaglobal.com PO BOX 112030, DUBAI, UNITED ARAB EMIRATES +971-524819495

Product Name : Inkjet Batch Coding Machine

Product Code : KGLOB10251050



Description :

Inkjet Batch Coding Machine

Technical Specification :

Ink Type Ink Types Capacity Veriabal Material Veriable Display Type Digital Automation Grade Automatic Display Digital Frequency 50-60 Voltage 180 V Weight Unpacked and dry 39.68 lbs. (18 kg) Power 100-120 / 200-240 VAC at 50/60 Hz.,120 W Data Matrix 0% to 90% RH non-condensing Size 8-10 mm

Display	4.3" full color Touch Screen LCD with LED backlight.
Languages	English, Spanish, French, German, Chinese, etc.
Input Device	800 x 480 Touch Screen LCD, Pen Drive.
Printable Images	Alphanumeric, Logo, Date/Time, Counter, Barcode, etc.

Printing Area Printing Direction Message Capacity Printing Speed Prints Using Print Distance Inking Medium Printing Medium	 UPCA, UPCE, EAN13, EAN8, INT25, CODE39, CODE128, ENA128, PDF417, DATAMATRIX, QR 1 to 6 lines of 2000 characters from 1.2 to 12.7 mm high. Adjustable at any angle within 360 degree Store upto 999 messages with Message Name. Max. 70 meters/min for 1 to 6 line printing at 300 dpi Hewlett-Packard (hp) TIJ 2.5 Print-head for spraying ink Max. 6 mm from substrate down or in front. 42 cc disposable pre-mix ink in Cartridge form with head. Solvent/Oil based inks (black, white, red, blue, yellow, etc.)
Ink Drying Time	Min. 5 seconds on plastics & laminates.
Impressions	Appx. 25 Lakh characters of 2 mm per cartridge of ink.
Operating Range	10 ~ +38°C 10% - 80% RH, non-condensing.
Supply Voltage	90 - 240 Vac, 50/60 Hz, 5 W
Battery Voltage	16.8V lithium battery, 10 hours use / 20 hours standby
Dimensions	H130 x W128 x D20 mm
Weight	1.2 Kg excluding cartridge & battery.